



Conditional Probability

INFO-2301: Quantitative Reasoning 2

Michael Paul and Jordan Boyd-Graber

SLIDES ADAPTED FROM PHILIP KOEHN

Language models

- **Language models** answer the question: *How likely is a string of English words good English?*
- Autocomplete on phones and websearch
- Creating English-looking documents
- Very common in machine translation systems
 - Help with reordering / style

$$p_{lm}(\text{the house is small}) > p_{lm}(\text{small the is house})$$

- Help with word choice

$$p_{lm}(\text{I am going home}) > p_{lm}(\text{I am going house})$$

- Use **conditional probabilities**

N-Gram Language Models

- Given: a string of English words $W = w_1, w_2, w_3, \dots, w_n$
- Question: what is $p(W)$?
- Sparse data: Many good English sentences will not have been seen before

→ Decomposing $p(W)$ using the chain rule:

$$p(w_1, w_2, w_3, \dots, w_n) = p(w_1) p(w_2|w_1) p(w_3|w_1, w_2) \dots p(w_n|w_1, w_2, \dots, w_{n-1})$$

(not much gained yet, $p(w_n|w_1, w_2, \dots, w_{n-1})$ is equally sparse)

Markov Chain

- **Markov independence assumption:**
 - only previous history matters
 - limited memory: only last k words are included in history (older words less relevant)
- **k th order Markov model**
- For instance 2-gram language model:

$$p(w_1, w_2, w_3, \dots, w_n) \simeq p(w_1) p(w_2|w_1) p(w_3|w_2) \dots p(w_n|w_{n-1})$$

- What is conditioned on, here w_{i-1} is called the **history**
- How do we estimate these probabilities?